



### Model ID600 DI

Iron Construction

Standard Clearance

152.4 mm Std. Port Size



*There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.*

*Created on  
November 30, 2000*







Excellence at work. Excellence in life.

# Model ID600 DI

Iron Construction

Standard Clearance

152.4 mm Std. Port Size



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.





Created on  
November 30, 2000

# Model ID600 DI

Iron Construction

Hot Clearance

152.4 mm Std. Port Size



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.


Created on  
November 30, 2000

# Model ID600 DI



Iron Construction

Hot Clearance



152.4 mm Std. Port Size




Viscosity: 10,000 cst



Viscosity: 100,000 cst



Viscosity: 1,000,000 cst



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.



Created on  
November 30, 2000

# Model ID600 SS

Stainless Steel Construction

Standard Clearance

152.4 mm Std. Port Size



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.


Created on  
November 30, 2000

# Model ID600 SS



Stainless Steel Construction

Standard Clearance



152.4 mm Std. Port Size




Viscosity: 10,000 cst



Viscosity: 100,000 cst



Viscosity: 1,000,000 cst



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.



Created on  
November 30, 2000

# Model ID600 SS

Stainless Steel Construction

Hot Clearance

152.4 mm Std. Port Size



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.

Created on  
November 30, 2000




# Model ID600 SS



Stainless Steel Construction

Hot Clearance



152.4 mm Std. Port Size




Viscosity: 10,000 cst



Viscosity: 100,000 cst



Viscosity: 1,000,000 cst



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.

Created on  
November 30, 2000