



OUTLINE DRAWING

CODE: D 10201 Rev.:00



Pump model: CM MAG-M06
ITEM:



DIMENSIONS


A	B	C	D	E	F	G	H	I	L	M	N
212.5	56.3	60	80	9	160	46	140	90	84	1"	3/4"

- This drawing is for reference only

- Pump may be supplied without motor

- All dimensions are in millimeters
- * Depend on the manufacturer

external magnet



Motor: IEC Gr71 B5
Port connection: Threaded
Standard: BSP-F UNI ISO 228/1 | NPT-F USAS B2-1/1968

OUTLINE DRAWING

CODE: D 10084 Rev.:00





Pump model: CM MAG-M1

ITEM:

Motor: IEC Gr80 B5

Port connection: Threaded

Standard: BSP-F UNI ISO 228/1 | NPT-F USAS B2-1/1968



DIMENSIONS

A	B	C	D	E	F	G	H	I	L	M	N
251	65.5	60.8	105	11	200	44	165	100	103	1"½	1"


- This drawing is for reference only

- Pump may be supplied without motor

- All dimensions are in millimeters

* Depend on the manufacturer

external magnet





OUTLINE DRAWING

CODE: D 10085 Rev.:00



Pump model: CM MAG-M2
ITEM:



DIMENSIONS


A	B	C	D	E	F	G	H	I	L	M	N
285	80	74.5	109	11	200	62	180	125	103	2"	1"¼

- This drawing is for reference only

- Pump may be supplied without motor

- All dimensions are in millimeters
- * Depend on the manufacturer

external magnet



Motor: IEC Gr90 B5
Port connection: Threaded



Standard: BSP-F UNI ISO 228/1 | NPT-F USAS B2-1/1968

OUTLINE DRAWING

CODE: D 10086 Rev.:00



Pump model: CM MAG-M3
ITEM:



DIMENSIONS


A	B	C	D	E	F	G	H	I	L	M	N
316.5	82.5	85.5	126.7	11	250	66.5	180	140	135	2"	1"½

- This drawing is for reference only

- Pump may be supplied without motor

- All dimensions are in millimeters
- * Depend on the manufacturer

external magnet



Motor: IEC Gr100/112 B5
Port connection: Threaded
Standard: BSP-F UNI ISO 228/1 | NPT-F USAS B2-1/1968