



OUTLINE DRAWING



CODE: D10657 Rev.:00



FLANGES DIN 2633 – PN 16	
DN 50 (SUCTION)	DN 32 (DISCHARGE)
FLANGES ANSI B 16.5 – 150 Lbs RF	
DN 2" (SUCTION)	DN 1 1/2" (DISCHARGE)

Motor:

Pump model: CN MAG-M 32-125/2x1 $\frac{1}{2}$ x5

EXTERNAL MAGNET		PART. 1		FOOT PRINT SKETCH		PUMP						WEIGHT (kg)	
						MOTOR SIZE	A	B (Ø)	C	D	K	Weight pump (without motor)	Baseplate
						90	207	200	132	186	--	50	
						100/112	227	250	132	206	---		
						132	247	300	154	226	--		
						160	277	350	180	256	---		

[illegible]

DATE:



ITEM:

PURCHASE ORDER:

CUSTOMER NAME:

OUTLINE DRAWING


CODE: D10658 Rev.:00



FLANGES DIN 2633 – PN 16	
n°4 Holes $\varnothing 18$ DN 50 (SUCTION) 125 165	n°4 Holes $\varnothing 18$ DN 32 (DISCHARGE) 100 140
FLANGES ANSI B 16.5 – 150 Lbs RF	
n°4 Holes $\varnothing 19$ DN 2" (SUCTION) 120.6 152.5	n°4 Holes $\varnothing 16$ DN 1 1/2" (DISCHARGE) 98.4 127

Motor:

Pump model: CN MAG-M 32-160/2x1 $\frac{1}{2}$ x6

EXTERNAL MAGNET	PART. 1	FOOT PRINT SKETCH	PUMP						WEIGHT (kg)	
			MOTOR SIZE	A	B (Ø)	C	D	K	Weight pump (without motor)	Baseplate
			90	207	200	132	186	---	45	
			100/112	227	250	132	206	---		
			132	247	300	154	226	---		
			160	277	350	180	256	---		

[illegible]

DATE:



ITEM:

PURCHASE ORDER:

CUSTOMER NAME:

OUTLINE DRAWING



CODE: D10659 Rev.:00



FLANGES DIN 2633 – PN 16	
DN 50 (SUCTION)	DN 32 (DISCHARGE)
FLANGES ANSI B 16.5 – 150 Lbs RF	
DN 2" (SUCTION)	DN 1 1/2" (DISCHARGE)

Motor:

Pump model: CN MAG-M 32-200/2x1 $\frac{1}{2}$ x8

EXTERNAL MAGNET		PART. 1		FOOT PRINT SKETCH		PUMP						WEIGHT (kg)	
						MOTOR SIZE	A	B (Ø)	C	D	K	Weight pump (without motor)	Baseplate
						90	228	200	160	186	---	51	
						100/112	228	250	160	206	---		
						132	248	300	160	228	---		
						160	278	350	180	258	---		

[illegible]

DATE:



ITEM:

PURCHASE ORDER:

CUSTOMER NAME:

OUTLINE DRAWING

CODE: D10660 Rev.:00



FLANGES DIN 2633 – PN 16	
DN 65 (SUCTION)	DN 40 (DISCHARGE)
FLANGES ANSI B 16.5 – 150 Lbs RF	
DN 3" (SUCTION)	DN 1 1/2" (DISCHARGE)

Motor:

Pump model: CN MAG-M 40-125/3x1 $\frac{1}{2}$ x5

EXTERNAL MAGNET	PART. 1	FOOT PRINT SKETCH	PUMP					WEIGHT (kg)		
			MOTOR SIZE	A	B (Ø)	C	D	K	Weight pump (without motor)	Baseplate
			90	215	200	132	186	---	53	
			100/112	225	250	132	206	---		
			132	245	300	154	226	---		
160	275	350	180	256	---					

MOTOR		MAX. (Kw)		SHAFT	DIMENSIONS			BASE PLATE	BASEPLATE (mm)								FOUNDATION (mm)				BOLTS
		2P	4P	Ø d	L	LA	LB	N°	HH	HB	HD	HL	HE	HA	L4	N° BOLTS	F1	F2	□ N	P	Ød1 x l
	90 S	1.5	1.1	24				E05	212	600	380	110	340	380	80	4	750	530	120	250	M16 x 270
	90 L	2.2	1.5																		
	100 L	3.0	2.2	28			E06	212													
			3.0																		
	112 M	4.0	4.0	28																	
	132 S	5.5	5.5	38			E07	234													
		7.5																			
	132 M	9.2	7.5	38																	
	160 M	11.0	/	42			E08	260													
		15.0	/																		

DATE:



ITEM:	

PURCHASE ORDER:

CUSTOMER NAME:

OUTLINE DRAWING

CODE: D10661 Rev.:00



FLANGES DIN 2633 – PN 16	
DN 65 (SUCTION)	DN 40 (DISCHARGE)
FLANGES ANSI B 16.5 – 150 Lbs RF	
DN 3" (SUCTION)	DN 1 1/2" (DISCHARGE)

Motor:

Pump model: CN MAG-M 40-160/3x1 $\frac{1}{2}$ x6

EXTERNAL MAGNET	PART. 1	FOOT PRINT SKETCH	PUMP					WEIGHT (kg)		
			MOTOR SIZE	A	B (Ø)	C	D	K	Weight pump (without motor)	Baseplate
			90	207	200	132	186	---	48	
			100/112	227	250	132	206	---		
			132	247	300	154	226	---		
160	277	350	180	256	---					

[illegible]

DATE:



ITEM:	
-------	--

PURCHASE ORDER:

CUSTOMER NAME:

OUTLINE DRAWING



CODE: D10662 Rev.:00



FLANGES DIN 2633 – PN 16	
 DN 65 (SUCTION)	 DN 40 (DISCHARGE)
FLANGES ANSI B 16.5 – 150 Lbs RF	
 DN 3" (SUCTION)	 DN 1 1/2" (DISCHARGE)

Motor:

Pump model: CN MAG-M 40-200/3x1½x8

EXTERNAL MAGNET	PART. 1	FOOT PRINT SKETCH	PUMP						WEIGHT (kg)	
			MOTOR SIZE	A	B (Ø)	C	D	K	Weight pump (without motor)	Baseplate
			90	228	200	160	188	---	63	
			100/112	228	250	160	208	---		
			132	248	300	160	228	---		
			160	278	350	180	260	---		

MOTOR		MAX. (Kw)		SHAFT	DIMENSIONS			BASE PLATE	BASEPLATE (mm)								FOUNDATION (mm)				BOLTS
		2P	4P	Ø d	L	LA	LB	Nº	HH	HB	HD	HL	HE	HA	L4	Nº BOLTS	F1	F2	□ N	P	Ød1 x l
	90 S	1.5	1.1	24				E17	240	600	380	110	340	380	80	4	750	530	120	250	M16 x 270
	90 L	2.2	1.5																		
	100 L	3.0	2.2	28			E18	240													
			3.0																		
	112 M	4.0	4.0	28																	
	132 S	5.5	5.5	38			E19	240													
		7.5																			
	132 M	9.2	7.5	38																	
	160 M	11.0	/	42			E21	260													
		15.0	/																		

DATE:



ITEM:

PURCHASE ORDER:

CUSTOMER NAME:

OUTLINE DRAWING



CODE: D10663 Rev.:00



FLANGES DIN 2633 – PN 16	
 DN 80 (SUCTION)	 DN 50 (DISCHARGE)
FLANGES ANSI B 16.5 – 150 Lbs RF	
 DN 3" (SUCTION)	 DN 2" (DISCHARGE)

Motor:

Pump model: CN MAG-M 50-125/3x2x5

EXTERNAL MAGNET	PART. 1	FOOT PRINT SKETCH	PUMP							WEIGHT (kg)	
			MOTOR SIZE	A	B (Ø)	C	D	K		Weight pump (without motor)	Baseplate
								A1/B1	C1		
			90	207	200	152	186	128	137	56	
			100/112	227	250	152	206	138	147		
			132	247	300	154	226	158	167		
160	277	350	180	256	188	197					

[illegible]

DATE:




ITEM:

PURCHASE ORDER:

CUSTOMER NAME:



OUTLINE DRAWING

CODE: D10664 Rev.:00



Motor:

Pump model: CN MAG-M 50-160/3x2x6



EXTERNAL MAGNET		PART. 1		FOOT PRINT SKETCH		PUMP						WEIGHT (kg)	
						MOTOR SIZE	A	B (Ø)	C	D	K	Weight pump (without motor)	Baseplate
						90	227	200	160	188	---	65	
						100/112	247	250	160	208	---		
						132	267	300	160	228	---		
						160	297	350	180	260	---		

MOTOR		MAX. (Kw)		SHAFT	DIMENSIONS			BASE PLATE	BASEPLATE (mm)							FOUNDATION (mm)				BOLTS	
		2P	4P	Ø d	L	LA	LB	Nº	HH	HB	HD	HL	HE	HA	L4	Nº BOLTS	F1	F2	□ N	P	Ød1 x l
	90 S	1.5	1.1	24				E17	240	600	380	110	340	380	80	4	750	530	120	250	M16 x 270
	90 L	2.2	1.5																		
	100 L	3.0	2.2	28			E18	240													
			3.0																		
	112 M	4.0	4.0	28																	
	132 S	5.5	5.5	38			E19	240													
		7.5																			
	132 M	9.2	7.5	38																	
	160 M	11.0	/	42			E21	260													
		15.0	/																		

CUSTOMER NAME:
PURCHASE ORDER:
ITEM:
DATE:

OUTLINE DRAWING



CODE: D10665 Rev.:00



FLANGES DIN 2633 – PN 16	
DN 80 (SUCTION)	DN 50 (DISCHARGE)
FLANGES ANSI B 16.5 – 150 Lbs RF	
DN 3" (SUCTION)	DN 2" (DISCHARGE)

Motor:

Pump model: CN MAG-M 50-200/3x2x8



EXTERNAL MAGNET	PART. 1	FOOT PRINT SKETCH	PUMP						WEIGHT (kg)	
			MOTOR SIZE	A	B (Ø)	C	D	K	Weight pump (without motor)	Baseplate
			90	228	200	160	188	---	70	
			100/112	228	250	160	208	---		
			132	248	300	160	228	---		
			160	278	350	180	260	---		



[illegible]



CUSTOMER NAME:
PURCHASE ORDER:
ITEM:
DATE:

OUTLINE DRAWING

CODE: D10666 Rev.:00




FLANGES DIN 2633 – PN 16	
 DN 100 (SUCTION)	 DN 65 (DISCHARGE)

FLANGES ANSI B 16.5 – 150 Lbs RF	
 DN 4" (SUCTION)	 DN 3" (DISCHARGE)

Motor:

Pump model: CN MAG-M 65-125/4X3X5

EXTERNAL MAGNET		PART. 1		FOOT PRINT SKETCH		PUMP						WEIGHT (kg)	
						MOTOR SIZE	A	B (Ø)	C	D	K	Weight pump (without motor)	Baseplate
						90	207	200	160	198	--	63	
						100/112	227	250	160	218	---		
						132	247	300	160	238	--		
						160	277	350	180	268	---		

[illegible]

DATE:



ITEM:

PURCHASE ORDER:

CUSTOMER NAME:

OUTLINE DRAWING


CODE: D10667 Rev.:00



FLANGES DIN 2633 – PN 16	
n°4 Holes $\varnothing 18$ DN 50 (SUCTION) 125 165	n°4 Holes $\varnothing 18$ DN 32 (DISCHARGE) 100 140
FLANGES ANSI B 16.5 – 150 Lbs RF	
n°4 Holes $\varnothing 19$ DN 2" (SUCTION) 120.6 152.5	n°4 Holes $\varnothing 16$ DN 1 1/2" (DISCHARGE) 98.4 127

Motor:

Pump model: CN MAG-M 32-250/2x1½x10



EXTERNAL MAGNET	PART. 1	FOOT PRINT SKETCH	PUMP						WEIGHT (kg)	
			MOTOR SIZE	A	B (Ø)	C	D	K	Weight pump (without motor)	Baseplate
			132	305	300	180	285	--	110	
			160/180	335	350	190	310	---		
			200	335	400	210	310			

MOTOR		MAX. (Kw)		SHAFT	DIMENSIONS			BASE PLATE	BASEPLATE (mm)								FOUNDATION (mm)				BOLTS
		2P	4P	Ø d	L	LA	LB		N°	HH	HB	HD	HL	HE	HA	L4	N° BOLTS	F1	F2	□ N	P
	132 S	5.5	5.5	38				E30	270	750	530	110	500	540	80	4	900	700	120	250	M16 x 270
		7.5																			
	132 M	9.2	7.5	38																	
			9.2																		
	160 M	11.0	11.0	42				E31	270												
		15.0																			
	160 L	18.5	15.0	42																	
	180 M	22.0	18.5	48																	
	180 L	/	22.0	48																	
	200 L	/	30.0	55				E31	290												

CUSTOMER NAME:
PURCHASE ORDER:
ITEM:
DATE:

OUTLINE DRAWING



CODE: D10668 Rev.:00



FLANGES DIN 2633 – PN 16	
DN 65 (SUCTION)	DN 40 (DISCHARGE)
FLANGES ANSI B 16.5 – 150 Lbs RF	
DN 3" (SUCTION)	DN 1 1/2" (DISCHARGE)

Motor:

Pump model: CN MAG-M 40-250/3x1½x10

EXTERNAL MAGNET	PART. 1	FOOT PRINT SKETCH	PUMP						WEIGHT (kg)	
			MOTOR SIZE	A	B (Ø)	C	D	K	Weight pump (without motor)	Baseplate
			132	305	300	180	285	---	115	
			160/180	335	350	190	310	---		
			200	335	400	210	310			

MOTOR		MAX. (Kw)		SHAFT	DIMENSIONS			BASE PLATE	BASEPLATE (mm)								FOUNDATION (mm)				BOLTS
		2P	4P	Ø d	L	LA	LB		N°	HH	HB	HD	HL	HE	HA	L4	N° BOLTS	F1	F2	□ N	P
	132 S	5.5	5.5	38				E30	260	750	530	110	500	540	80	4	900	700	120	250	M16 x 270
		7.5																			
	132 M	9.2	7.5	38																	
					9.2																
	160 M	11.0	11.0	42				E33	260												
		15.0																			
	160 L	18.5	15.0	42																	
	180 M	22.0	18.5	48																	
	180 L	/	22.0	48																	
	200 L	/	30.0	55				E33	290												

DATE:



ITEM:

PURCHASE ORDER:

CUSTOMER NAME:

OUTLINE DRAWING

CODE: D10669 Rev.:00



FLANGES DIN 2633 – PN 16	
n°4 Holes $\varnothing 18$ DN 65 (SUCTION) 185 145	n°4 Holes $\varnothing 18$ DN 40 (DISCHARGE) 150 110
FLANGES ANSI B 16.5 – 150 Lbs RF	
n°4 Holes $\varnothing 19$ DN 2 1/2" (SUCTION) 177.8 139.7	n°4 Holes $\varnothing 16$ DN 1 1/2" (DISCHARGE) 127 98.4

Motor:

Pump model: CN MAG-M 40-315/3x1¹/₂x13

EXTERNAL MAGNET	PART. 1	FOOT PRINT SKETCH	PUMP					WEIGHT (kg)		
			MOTOR SIZE	A	B (Ø)	C	D	K	Weight pump (without motor)	Baseplate
			160/180	335	350	200	310	—	63	
			200	335	400	210	310			

MOTOR		MAX. (Kw)		SHAFT	DIMENSIONS			BASE PLATE	BASEPLATE (mm)								FOUNDATION (mm)				BOLTS
		2P	4P	Ø d	L	LA	LB		N°	HH	HB	HD	HL	HE	HA	L4	N° BOLTS	F1	F2	□ N	
	160 M	11.0	11.0	42				E40	280	750	530	110	500	540	80	4	900	700	120	250	M16 x 270
		15.0																			
	160 L	18.5	15.0	42																	
	180 M	22.0	18.5	48				E40	280												
	180 L	/	22.0	48																	
	200 L	/	30.0	55																	

DATE:




ITEM:

PURCHASE ORDER:

CUSTOMER NAME:



OUTLINE DRAWING

CODE: D10670 Rev.:00



Motor:

Pump model: CN MAG-M 50-250/3x2x10




EXTERNAL MAGNET	PART. 1	FOOT PRINT SKETCH	PUMP						WEIGHT (kg)	
			MOTOR SIZE	A	B (Ø)	C	D	K	Weight pump (without motor)	Baseplate
			132	305	300	180	285	---	120	
			160/180	335	350	190	310	---		
			200	335	400	210	310	---		

MOTOR		MAX. (Kw)		SHAFT	DIMENSIONS			BASE PLATE	BASEPLATE (mm)								FOUNDATION (mm)				BOLTS
		2P	4P	Ø d	L	LA	LB		N°	HH	HB	HD	HL	HE	HA	L4	N° BOLTS	F1	F2	□ N	P
	132 S	5.5	5.5	38				E30	270	750	530	110	500	540	80	4	900	700	120	250	M16 x 270
		7.5																			
	132 M	9.2	7.5	38																	
					9.2																
	160 M	11.0	11.0	42				E33	270												
		15.0																			
	160 L	18.5	15.0	42																	
	180 M	22.0	18.5	48																	
	180 L	-	22.0	48																	
	200 L	-	30.0	55				E32	290												

CUSTOMER NAME:
PURCHASE ORDER:
ITEM:
DATE:


OUTLINE DRAWING

CODE: D10671 Rev.:00



Motor:

Pump model: CN MAG-M 50-315/3x2x13

EXTERNAL MAGNET	PART. 1	FOOT PRINT SKETCH	PUMP						WEIGHT (kg)	
			MOTOR SIZE	A	B (Ø)	C	D	K	Weight pump (without motor)	Baseplate
			132	305	300	225	260	---	145	
			160/180	335	350	225	310	---		
			200	335	400	225	310	---		

[illegible]

DATE: _____



ITEM:

PURCHASE ORDER:

CUSTOMER NAME:

OUTLINE DRAWING

CODE: D10672 Rev.:00



FLANGES DIN 2633 – PN 16	
n°8 Holes $\varnothing 18$ DN 100 (SUCTION) 180 220 145	n°4 Holes $\varnothing 18$ DN 65 (DISCHARGE) 145 185
FLANGES ANSI B 16.5 – 150 Lbs RF	
n°8 Holes $\varnothing 19$ DN 4" (SUCTION) 190.5 229 152.4	n°4 Holes $\varnothing 19$ DN 3" (DISCHARGE) 152.4 190.5

Motor:

Pump model: CN MAG-M 65-160/4x3x6

EXTERNAL MAGNET	PART. 1	FOOT PRINT SKETCH	PUMP					WEIGHT (kg)		
			MOTOR SIZE	A	B (Ø)	C	D	K	Weight pump (without motor)	Baseplate
			132	305	300	180	285	---	110	
			160/180	335	350	180	315	---		
			200	335	400	210	310			

MOTOR		MAX. (Kw)		SHAFT	DIMENSIONS			BASE PLATE	BASEPLATE (mm)								FOUNDATION (mm)				BOLTS
		2P	4P	Ø d	L	LA	LB	N°	HH	HB	HD	HL	HE	HA	L4	N° BOLTS	F1	F2	□ N	P	Ød1 x l
	132 S	5.5	5.5	38				E37	260	750	530	110	500	540	80	4	900	700	120	250	M16 x 270
		7.5																			
	132 M	9.2	7.5	38																	
			9.2																		
	160 M	11.0	11.0	42				E38	260												
					15.0																
	160 L	18.5	15.0	42																	
	180 M	22.0	18.5	48				E38	260												
	180 L	/	22.0	48																	
	200 L	/	30.0	55				E39	290												

DATE:



ITEM:	
-------	--

PURCHASE ORDER:

CUSTOMER NAME:

OUTLINE DRAWING


CODE: D10673 Rev.:00



FLANGES DIN 2633 – PN 16	
n°8 Holes ø18 DN 100 (SUCTION) 180 220	n°4 Holes ø18 DN 65 (DISCHARGE) 145 185
FLANGES ANSI B 16.5 – 150 Lbs RF	
n°8 Holes ø19 DN 4" (SUCTION) 190.5 229	n°4 Holes ø19 DN 3" (DISCHARGE) 152.4 190.5

Motor:

Pump model: CN MAG-M 65-200/4x3x8



EXTERNAL MAGNET	PART. 1	FOOT PRINT SKETCH	PUMP						WEIGHT (kg)	
			MOTOR SIZE	A	B (Ø)	C	D	K	Weight pump (without motor)	Baseplate
			132	305	300	180	285	--	110	
			160/180	335	350	180	315	---		
			200	335	400	210	310			

[illegible]

CUSTOMER NAME:
PURCHASE ORDER:
ITEM:
DATE:

OUTLINE DRAWING



CODE: D10674 Rev.:00



FLANGES DIN 2633 – PN 16	
DN 100 (SUCTION)	DN 65 (DISCHARGE)
FLANGES ANSI B 16.5 – 150 Lbs RF	
DN 4" (SUCTION)	DN 3" (DISCHARGE)

Motor:

Pump model: CN MAG-M 65-250/4x3x10

EXTERNAL MAGNET		PART. 1		FOOT PRINT SKETCH		PUMP						WEIGHT (kg)	
						MOTOR SIZE	A	B (Ø)	C	D	K	Weight pump (without motor)	Baseplate
						132	305	300	200	297	--	125	
						160/180	335	350	200	322	---		
						200	335	400	210	322	--		

MOTOR		MAX. (Kw)		SHAFT	DIMENSIONS			BASE PLATE	BASEPLATE (mm)								FOUNDATION (mm)				BOLTS
		2P	4P	Ø d	L	LA	LB	N°	HH	HB	HD	HL	HE	HA	L4	N° BOLTS	F1	F2	□ N	P	Ød1 x l
	132 S	5.5	5.5	38				E34	280	750	530	110	500	540	80	4	900	700	120	250	M16 x 270
		7.5																			
	132 M	9.2	7.5	38																	
		9.2																			
	160 M	11.0	11.0	42				E35	280												
		15.0																			
	160 L	18.5	15.0	42				E35	280												
	180 M	22.0	18.5	48																	
	180 L	/	22.0	48				E36	290												
	200 L	/	30.0	55																	

DATE:



ITEM:

PURCHASE ORDER:

CUSTOMER NAME:

OUTLINE DRAWING

CODE: D10675 Rev.:00



FLANGES DIN 2633 – PN 16	
n°8 Holes $\varnothing 18$ DN 125 (SUCTION) 210 250	n°8 Holes $\varnothing 18$ DN 80 (DISCHARGE) 160 200
FLANGES ANSI B 16.5 – 150 Lbs RF	
n°8 Holes $\varnothing 22$ DN 6" (SUCTION) 241.3 279	n°4 Holes $\varnothing 19$ DN 3" (DISCHARGE) 152.4 190.5

Motor:

Pump model: CN MAG-M 80-160/6x3x6



[illegible]



MOTOR		MAX. (Kw)		SHAFT Ø d	DIMENSIONS			BASE PLATE N°	BASEPLATE (mm)								FOUNDATION (mm)				BOLTS Ød1 x l
		2P	4P		L	LA	LB		HH	HB	HD	HL	HE	HA	L4	N° BOLTS	F1	F2	□ N	P	
	132 S	5.5	5.5	38				E30	260	750	530	110	500	540	80	4	900	700	120	250	M16 x 270
		7.5																			
	132 M	9.2	7.5																		
			9.2																		
	160 M	11.0	11.0	42				E31	260												
		15.0																			
	160 L	18.5	15.0	42																	
	180 M	22.0	18.5	48																	
	180 L	/	22.0	48																	
	200 L	/	30.0	55				E32	290												



CUSTOMER NAME:
PURCHASE ORDER:
ITEM:
DATE:

OUTLINE DRAWING

CODE: D10676 Rev.:00



FLANGES DIN 2633 – PN 16	
 DN 125 (SUCTION)	 DN 80 (DISCHARGE)

FLANGES ANSI B 16.5 – 150 Lbs RF	
 DN 6" (SUCTION)	 DN 3" (DISCHARGE)

Motor:

Pump model: CN MAG-M 80-200/6x3x8

[illegible]

MOTOR		MAX. (Kw)		SHAFT Ø d	DIMENSIONS			BASE PLATE N°	BASEPLATE (mm)								FOUNDATION (mm)				BOLTS Ød1 x l
		2P	4P		L	LA	LB		HH	HB	HD	HL	HE	HA	L4	N° BOLTS	F1	F2	□ N	P	
	132 S	5.5	5.5	38				E43	260	750	530	110	500	540	80	4	900	700	120	250	M16 x 270
		7.5																			
	132 M	9.2	7.5																		
			9.2																		
	160 M	11.0	11.0	42				E44	260												
		15.0																			
	160 L	18.5	15.0	42																	
	180 M	22.0	18.5	48																	
	180 L	/	22.0	48																	
	200 L	/	30.0	55				E45	290												

DATE:

ITEM:



PURCHASE ORDER:

CUSTOMER NAME:


Pump model: CN MAG-M 80-250/6x3x10

OUTLINE DRAWING

CODE: D10678 Rev.:00



FLANGES DIN 2633 – PN 16	
n°8 Holes $\varnothing 18$ DN 125 (SUCTION) 210 250	n°8 Holes $\varnothing 18$ DN 100 (DISCHARGE) 180 220
FLANGES ANSI B 16.5 – 150 Lbs RF	
n°8 Holes $\varnothing 22$ DN 6" (SUCTION) 241.3 279	n°8 Holes $\varnothing 19$ DN 4" (DISCHARGE) 190.5 229

EXTERNAL MAGNET	PART. 1	FOOT PRINT SKETCH	PUMP						WEIGHT (kg)	
			MOTOR SIZE	A	B (Ø)	C	D	K	Weight pump (without motor)	Baseplate
			132	305	300	200	297	--	135	
			160/180	355	350	200	327	---		
			200	355	400	210	322			

[illegible]

Pump model: CN MAG-M 100-200/6x4x8

Motor:

CUSTOMER NAME:
PURCHASE ORDER:
ITEM:
DATE: