

OUTLINE DRAWING

CODE: D 10406 Rev.:00




Pump model: T MAG-M1

ITEM:

Motor: IEC Gr.71

Port connections: Flanged

Standard: ANSI (ASA) B16.5



DIMENSIONS


A	B	C	D	E	F	G	H	I	L	M
140.5	181.5	41.5	80	9	160	140	46	95	99	85

- This drawing is for reference only
- Pump may be supplied without motor
- All dimensions are in millimeters

* Depend on the manufacturer

external magnet


MOTOR FLANGE



Flanges



ANSI 300 lbs

P	Q	R	S
15.7	66.7	95.2	15.9



OUTLINE DRAWING

CODE: D 10955 Rev.:00




DIMENSIONS

A	B	C	D	E	F	G	H	I	L	M
150.5	191.5	41.5	90	9	200	150	46	95	99	102

- This drawing is for reference only
- Pump may be supplied without motor
- All dimensions are in millimeters

* Depend on the manufacturer


external magnet



Flanges

ANSI 300 lbs

P	Q	R	S
15.7	66.7	95.2	15.9



Pump model: T MAG-M1

ITEM:

Motor: IEC Gr.80

Port connections: Flanged

Standard: ANSI (ASA) B16.5

OUTLINE DRAWING

CODE: D 10956 Rev.:00




Pump model: T MAG-M2

ITEM:

Motor: IEC Gr.80/90

Port connections: Flanged

Standard: ANSI (ASA) B16.5




DIMENSIONS


A	B	C	D	E	F	G	H	I	L	M
172.2	222.3	47.2	104	11	200	165	50	110	115	103

- This drawing is for reference only
- Pump may be supplied without motor
- All dimensions are in millimeters

* Depend on the manufacturer




Flanges			
ANSI 300 lbs			
P	Q	R	S
20.8	82.5	117.5	19



OUTLINE DRAWING

CODE: D 10531 Rev.:00



Pump model: T MAG-M3
ITEM:


DIMENSIONS

A	B	C	D	E	F	G	H	I	L	M
184.2	240	53.5	109	11	200	180	47.5	120	120	103

- This drawing is for reference only
- Pump may be supplied without motor
- All dimensions are in millimeters

* Depend on the manufacturer


external magnet



Flanges

ANSI 300 lbs

P	Q	R	S
26.7	88.9	123.8	19



Motor: IEC Gr.90
Port connections: Flanged
Standard: ANSI (ASA) B16.5

OUTLINE DRAWING

CODE: D 10975 Rev.:00




Pump model: T MAG-M3

ITEM:

Motor: IEC Gr.100/112

Port connections: Flanged

Standard: ANSI (ASA) B16.5




DIMENSIONS

A	B	C	D	E	F	G	H	I	L	M
192	248	51.2	109	11	250	180	47.5	120	120	130

- This drawing is for reference only
- Pump may be supplied without motor
- All dimensions are in millimeters

* Depend on the manufacturer


external magnet



Flanges

ANSI 300 lbs

P	Q	R	S
26.7	88.9	123.8	19



OUTLINE DRAWING

CODE: D 10976 Rev.:00




Pump model: T MAG-M4

ITEM:

Motor: IEC Gr.90

Port connections: Flanged

Standard: ANSI (ASA) B16.5




DIMENSIONS


A	B	C	D	E	F	G	H	I	L	M
184.2	240.1	53.5	109	11	200	180	47.5	120	120	103

- This drawing is for reference only
- Pump may be supplied without motor
- All dimensions are in millimeters

* Depend on the manufacturer



Flanges			
ANSI 300 lbs			
P	Q	R	S
26.7	88.9	123.8	19



OUTLINE DRAWING

CODE: D 10977 Rev.:00




Pump model: T MAG-M4

ITEM:

Motor: IEC Gr.100/112

Port connections: Flanged

Standard: ANSI (ASA) B16.5




DIMENSIONS

A	B	C	D	E	F	G	H	I	L	M
192	248	51.2	109	11	250	180	47.5	120	120	130

- This drawing is for reference only
- Pump may be supplied without motor
- All dimensions are in millimeters

* Depend on the manufacturer


external magnet



Flanges

ANSI 300 lbs

P	Q	R	S
26.7	88.9	123.8	19




OUTLINE DRAWING

CODE: D 10572 Rev.:00



Pump model: T MAG-M5
ITEM:




DIMENSIONS

A	B	C	D	E	F	G	H	I	L	M
207	273.5	65	120	11.5	250	190	62	146	146	135

- This drawing is for reference only
- Pump may be supplied without motor
- All dimensions are in millimeters

* Depend on the manufacturer


external magnet



Flanges

ANSI 300 lbs

P	Q	R	S
36	98.4	133.3	19



Motor: IEC Gr.100/112
Port connections: Flanged
Standard: ANSI (ASA) B16.5

OUTLINE DRAWING

CODE: D 10978 Rev.:00




Pump model: T MAG-M5

ITEM:

Motor: IEC Gr.132

Port connections: Flanged

Standard: ANSI (ASA) B16.5




DIMENSIONS

A	B	C	D	E	F	G	H	I	L	M
227	293.5	70	120	11.5	300	190	60	146	146	155

- This drawing is for reference only
- Pump may be supplied without motor
- All dimensions are in millimeters

* Depend on the manufacturer


external magnet



Flanges

ANSI 300 lbs

P	Q	R	S
36	98.4	133.3	19



OUTLINE DRAWING

CODE: D 10573 Rev.:00





Pump model: T MAG-M6

ITEM:

Motor: IEC Gr.100/112

Port connections: Flanged

Standard: ANSI (ASA) B16.5




DIMENSIONS


A	B	C	D	E	F	G	H	I	L	M
227	273.5	65	120	11.5	250	190	62	146	146	135

- This drawing is for reference only
- Pump may be supplied without motor
- All dimensions are in millimeters

* Depend on the manufacturer



Flanges			
ANSI 300 lbs			
P	Q	R	S
36	114.3	155.6	22.4



OUTLINE DRAWING

CODE: D 10979 Rev.:00




Pump model: T MAG-M6

ITEM:

Motor: IEC Gr.132

Port connections: Flanged

Standard: ANSI (ASA) B16.5




DIMENSIONS

A	B	C	D	E	F	G	H	I	L	M
227	293.5	70	120	11.5	300	190	62	146	146	155

- This drawing is for reference only
- Pump may be supplied without motor
- All dimensions are in millimeters

* Depend on the manufacturer



Flanges			
ANSI 300 lbs			
P	Q	R	S
36	114.3	155.6	22.4

