


OUTLINE DRAWING

CODE: D 10072 Rev.:00



Pump model: T MAG-M1
ITEM:

DIMENSIONS

A	B	C	D	E	F	G	H	I	L	M	N
140.5	181.5	41.5	80	9	160	140	46	95	99	85	1/2"


- This drawing is for reference only

- Pump may be supplied without motor

- All dimensions are in millimeters

* Depend on the manufacturer

external magnet



Motor: IEC Gr.71 B5
Port connection: Threaded


Standard: BSP-F UNI ISO 228/1 | NPT-F USAS B2-1/1968

OUTLINE DRAWING

CODE: D 10073 Rev.:00



Pump model: T MAG-M1
ITEM:



DIMENSIONS

A	B	C	D	E	F	G	H	I	L	M	N
150.5	191.5	41.5	90	9	200	150	46	95	99	102	1/2"


- This drawing is for reference only

- Pump may be supplied without motor

- All dimensions are in millimeters

* Depend on the manufacturer


external magnet



Motor: IEC Gr.80 B5
Port connection: Threaded
Standard: BSP-F UNI ISO 228/1 | NPT-F USAS B2-1/1968

OUTLINE DRAWING

CODE: D 10074 Rev.:00



Pump model: T MAG-M2
ITEM:

DIMENSIONS

A	B	C	D	E	F	G	H	I	L	M	N
172.2	222.3	47.2	104	11	200	165	50	110	115	103	3/4"


- This drawing is for reference only

- Pump may be supplied without motor

- All dimensions are in millimeters

* Depend on the manufacturer

external magnet



Motor: IEC Gr.80 / 90 B5
Port connection: Threaded

Standard: BSP-F UNI ISO 228/1 | NPT-F USAS B2-1/1968


OUTLINE DRAWING

CODE: D 10076 Rev.:00



Pump model: T MAG-M3

ITEM:



DIMENSIONS

A	B	C	D	E	F	G	H	I	L	M	N
184.2	240	53.5	109	11	200	160	47.5	120	120	103	1''


- This drawing is for reference only

- Pump may be supplied without motor

- All dimensions are in millimeters

* Depend on the manufacturer

external magnet




Motor: IEC Gr.90 B5

Port connection: Threaded

Standard: BSP-F UNI ISO 228/1 | NPT-F USAS B2-1/1968

OUTLINE DRAWING

CODE: D 10077 Rev.:00



DIMENSIONS

A	B	C	D	E	F	G	H	I	L	M	N
192	248	51.2	109	11	250	180	47.5	120	120	130	1''


- This drawing is for reference only

- Pump may be supplied without motor

- All dimensions are in millimeters

* Depend on the manufacturer

external magnet



Pump model: T MAG-M3
ITEM:

Motor: IEC Gr.100/112 B5
Port connection: Threaded

Standard: BSP-F UNI ISO 228/1 | NPT-F USAS B2-1/1968


OUTLINE DRAWING

CODE: D 10078 Rev.:00



Pump model: T MAG-M4

ITEM:



DIMENSIONS

A	B	C	D	E	F	G	H	I	L	M	N
184.2	240	53.5	109	11	200	160	47.5	120	120	103	1''


- This drawing is for reference only

- Pump may be supplied without motor

- All dimensions are in millimeters

* Depend on the manufacturer

external magnet



Motor: IEC Gr.90 B5

Port connection: Threaded

Standard: BSP-F UNI ISO 228/1 | NPT-F USAS B2-1/1968


OUTLINE DRAWING

CODE: D 10079 Rev.:00



Pump model: T MAG-M4

ITEM:



DIMENSIONS

A	B	C	D	E	F	G	H	I	L	M	N
192	248	51.2	109	11	250	180	47.5	120	120	130	1''


- This drawing is for reference only

- Pump may be supplied without motor

- All dimensions are in millimeters

* Depend on the manufacturer

external magnet



Motor: IEC Gr.100/112 B5

Port connection: Threaded


Standard: BSP-F UNI ISO 228/1 | NPT-F USAS B2-1/1968

OUTLINE DRAWING

CODE: D 10080 Rev.:00



Pump model: T MAG-M5
ITEM:



DIMENSIONS

A	B	C	D	E	F	G	H	I	L	M	N
207	273.5	65	120	11.5	250	190	62	146	146	135	1 1/2"


- This drawing is for reference only

- Pump may be supplied without motor

- All dimensions are in millimeters

* Depend on the manufacturer

external magnet




Motor: IEC Gr.100/112 B5
Port connection: Threaded
Standard: BSP-F UNI ISO 228/1 | NPT-F USAS B2-1/1968

OUTLINE DRAWING

CODE: D 10081 Rev.:00



Pump model: T MAG-M5
ITEM:



DIMENSIONS

A	B	C	D	E	F	G	H	I	L	M	N
227	293.5	70	120	11.5	300	190	62	146	146	155	1 1/2"


- This drawing is for reference only

- Pump may be supplied without motor

- All dimensions are in millimeters

* Depend on the manufacturer


external magnet



Motor: IEC Gr.132 B5
Port connection: Threaded
Standard: BSP-F UNI ISO 228/1 | NPT-F USAS B2-1/1968

OUTLINE DRAWING

CODE: D 10082 Rev.:00



Pump model: T MAG-M6
ITEM:

DIMENSIONS

A	B	C	D	E	F	G	H	I	L	M	N
207	273.5	65	120	11.5	250	190	62	146	146	135	1 1/2"


- This drawing is for reference only

- Pump may be supplied without motor

- All dimensions are in millimeters

* Depend on the manufacturer

external magnet




Motor: IEC Gr.100/112 B5
Port connection: Threaded

Standard: BSP-F UNI ISO 228/1 | NPT-F USAS B2-1/1968

OUTLINE DRAWING

CODE: D 10083 Rev.:00




DIMENSIONS

A	B	C	D	E	F	G	H	I	L	M	N
227	293.5	70	120	11.5	300	190	62	146	146	155	1 1/2"

- This drawing is for reference only

- Pump may be supplied without motor

- All dimensions are in millimeters
- * Depend on the manufacturer



Motor: IEC Gr.132 B5

Port connection: Threaded

Standard: BSP-F UNI ISO 228/1 | NPT-F USAS B2-1/1968