




**Model ID120A DI**  
**Standard Clearance**

**Iron Construction**


**101.6 x 76.2 mm Std. Port Size**



Viscosity: 100 cst



Viscosity: 1,000 cst



*There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.*




*Created on November 30, 2000*

# Model ID120A DI

## Iron Construction

## Standard Clearance

## 101.6 x 76.2 mm Std. Port Size



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.


Created on November 30, 2000

# Model ID120A DI



## Iron Construction

## Hot Clearance


## 101.6 x 76.2 mm Std. Port Size



Viscosity: 100 cst



Viscosity: 1,000 cst



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.


Created on November 30, 2000

# Model ID120A DI



Iron Construction

Hot Clearance



101.6 x 76.2 mm Std. Port Size




Viscosity: 10,000 cst



Viscosity: 100,000 cst



Viscosity: 1,000,000 cst



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.

Created on November 30, 2000

# Model ID120A SS



Stainless Steel Construction

Standard Clearance


101.6 x 76.2 mm Std. Port Size



Viscosity: 100 cst



Viscosity: 1,000 cst



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.




Created on November 30, 2000

# Model ID120A SS

Stainless Steel Construction

Standard Clearance

101.6 x 76.2 mm Std. Port Size



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.

Created on November 30, 2000

# Model ID120A SS



Stainless Steel Construction

Hot Clearance


101.6 x 76.2 mm Std. Port Size



Viscosity: 100 cst



Viscosity: 1,000 cst



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.




Created on November 30, 2000

# Model ID120A SS

Stainless Steel Construction

Hot Clearance

101.6 x 76.2 mm Std. Port Size



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.

Created on November 30, 2000